

Application No.: 09/917069

Docket No.: 09082-00002-US

AMENDMENTS TO THE CLAIMS

1. (canceled)
2. (currently amended) The assembly of claim [[25]] 32 wherein said reusable mounting structure comprises hook members.
3. (currently amended) The assembly of claim [[2]] 28 wherein said wipe has loop structure engaged by said hook members.
4. (currently amended) The assembly of claim [[25]] 32 wherein said wipe is made of needle punched material.
5. (currently amended) The assembly of claim [[25]] 32 in combination with sets of wet and dry wipes.
6. (canceled)
7. (currently amended) The assembly of claim [[6]] 27 wherein said central section is flat.
8. (currently amended) The assembly of claim [[7]] 32 in further combination with a cleaning implement having a cleaning head and a handle, and said cover being wrapped around said head.
9. (previously amended) The assembly of claim 8 wherein said cleaning implement is a plastic bristled broom having its bristles cut at an angle.
10. (canceled)

Application No.: 09/917069

Docket No.: 09082-00002-US

11. (canceled)

12. (previously amended) The assembly of claim 8 wherein portions of said end sections are folded against said central section whereby said central section is of an area larger than the area at the bottom of said cleaning head.

13. (previously amended) The assembly of claim 8 wherein said cover forms an open sided cover around said cleaning head.

14-18. (canceled)

19. (currently amended) The assembly of claim ~~[[1]]~~ 27 wherein said cover is impregnated with a cleaning composition.

20-26. (canceled)

27. (previously amended) A cleaning attachment for converting a cleaning implement to a mop, comprising a flexible cover, said cover in its flat unassembled condition having a first end and a second end, a continuous intermediate section between said first end and said second end, said second end being bifurcated to create a pair of spaced outwardly extending flaps with an open area between said flaps, said cover having an inner surface and an outer surface, said intermediate section including a central section between said first end and said second end, fastening structure on said inner surface of said flaps, complementary fastening structure on said outer surface of said first end, reusable mounting structure on said outer surface of said cover, said fastening structure and said complementary fastening structure being located for engagement when said cover is folded around a cleaning head of a cleaning implement to form a closed loop around the cleaning head with said flaps being outwardly of and secured to said first end whereby said open area between said flaps is adapted to accommodate a handle extending outwardly from the cleaning head, said loop having a top and a bottom, and said central section being at said bottom of said loop remote from said secured first end and flaps at said top of said

Application No.: 09/917069

Docket No.: 09082-00002-US

loop with said reusable mounting structure exposed at said outer surface to detachably mount a detached wipe at said bottom of said loop below the cleaning head to convert the cleaning implement to a mop and to detachably remove the wipe after use whereby a different wipe may be selectively mounted to said outer surface.

28. (previously presented) The attachment of claim 27 wherein said reusable mounting structure comprises hook members.

29. (previously amended) The attachment of claim 27 wherein said intermediate section includes fold portions folded against said central section.

30. (previously presented) The attachment of claim 27 wherein said cover is impregnated with a cleaning composition.

31. (currently amended) The assembly of claim ~~[[25]]~~ 32 wherein said wipe has complementary mounting structure for engagement with said reusable mounting structure, said reusable mounting structure being at said central section, and said complementary mounting structure being removed with said wipe when said wipe is detached.

32. (new) The assembly of claim 27 in combination with a wipe, and said wipe extending across said central section at said bottom of said loop when said wipe is attached to said central section, and said central section and said reusable mounting structure of said central section being exposed when said wipe is detached.